

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

JACKOCELL ®6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Raw material for plastic processing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Jackon GmbH
Tonnenhofstrasse 16
23970 Wismar

Telephone no. 0 3841 / 420-0
Fax no. 0 3841 / 420-420

Information provided by / telephone

+49 (0) 38 41/420 0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

+44 (0) 1235 239 670 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statements

-

Hazard statements (EU)

EUH018 In use may form flammable/explosive vapour-air mixture.
EUH210 Safety data sheet available on request.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P243 Take precautionary measures against static discharge.
P403+P235 Store in a well-ventilated place. Keep cool.

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Expendable polystyrene; EPS

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	pentane		
	109-66-0 203-692-4 601-006-00-1 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 Flam. Liq. 2; H225 STOT SE 3; H336	<= 5.30 %-b.w.
2	2-methylbutane		
	78-78-4 201-142-8 601-085-00-2 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 Flam. Liq. 1; H224 STOT SE 3; H336	<= 1.50 %-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	C	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Change contaminated, saturated clothing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Seek medical advice immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Styrene

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Pentane may be released upon heating. Wear protective clothing. Flammable concentrations of propellant may form in closed containers. Product burns on contact with fire or high temperatures.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid dust formation. Keep away sources of ignition. High risk of slipping due to leakage/spillage of product.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Avoid the formation and deposition of dust. Provide good ventilation of working area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale dust.

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Ignitable mixtures may be formed with air upon diffusion of pentane.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers.

Advice on storage assembly

None known

7.3 Specific end use(s)

No data available.

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.	
1	pentane	109-66-0	203-692-4	
	2006/15/EG			
	Pentan			
	TWA	3000	mg/m ³	1000 ml/m ³
	List of approved workplace exposure limits (WELs) / EH40			
	Pentane			
	TWA	600	ppm	1800 mg/m ³
2	2-methylbutane	78-78-4	201-142-8	
	2006/15/EG			
	Isopentan			
	TWA	3000	mg/m ³	1000 ml/m ³
	List of approved workplace exposure limits (WELs) / EH40			
	Isopentane			
	TWA	600	ppm	1800 mg/m ³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
Solid substance; beads			
white			
Odour			
mild			
Odour threshold			
No data available			
pH value			
No data available			
Boiling point / boiling range			
No data available			
Melting point / melting range			
No data available			
Softening point / softening temperature (Vicat softening point)			
Value	appr.	70	°C

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

Decomposition point / decomposition range			
Value	appr.	220	°C
Flash point			
Value		-56	°C
Reference substance	pentane		
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
Value		1.3	% vol
Reference substance	pentane		
Upper flammability or explosive limits			
Value		7.8	% vol
Reference substance	pentane		
Vapour pressure			
Value		761	mbar
Reference temperature		20	°C
Reference substance	pentane		
Vapour density			
Value		2.5	
Reference temperature		20	°C
Reference substance	pentane		
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value	1.03	-	1.05 g/ml
Bulk density			
Value		600	kg/m ³
Solubility in water			
Remarks	insoluble		
Remarks	immiscible		
Solubility(ies)			
No data available			
Soluble in			
Aromatic hydrocarbons; Ketones; organic solvents			
Partition coefficient: n-octanol/water			
No data available			
Viscosity			
No data available			
9.2 Other information			
Other information			
No data available.			

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

10.2 Chemical stability

stable if stored and handled properly.

10.3 Possibility of hazardous reactions

Risk of formation of explosive gas mixtures in air.

10.4 Conditions to avoid

Keep away sources of ignition. Protect from heat and direct sunlight. static discharges

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

Carbon dioxide; Carbon monoxide; Flammable gases/vapours

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact may cause mechanical irritation through dust particles.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of dusts may irritate the respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin.

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

Biodegradability	
No	Product Name
1	JACKOCELL ®6
Evaluation	Slightly biodegradable

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)	
No	Product Name
1	JACKOCELL ®6
Remarks	Not potentially bioaccumulative.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	9
Classification code	M3
Packing group	III
Hazard identification no.	90
UN number	UN2211
Technical name	POLYMERIC BEADS, EXPANDABLE
Tunnel restriction code	D/E
Label	keine

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN2211
Proper shipping name	POLYMERIC BEADS, EXPANDABLE
EmS	F-A+S-I
Label	9

14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN2211
Proper shipping name	Polymeric beads, expandable
Label	9

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066	Repeated exposure may cause skin dryness or cracking.
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Trade name: JACKOCELL ®6

Product no.: JACK-001-R211-R212-S214-R311-R312-R411

Current version : 3.0.0, issued: 22.06.2015

Replaced version: 2.0.1, issued: 14.01.2014

Region: GB

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information developed by JACKON relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process.

It is user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.